

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,202,064 Date Issued: April 10, 2007

Application Number: 10/600,480 Filed: June 20, 2003

Name of Patentee: Frank A. Skraly and Oliver P. Peoples

Title of Invention: *"Polyhydroxyalkanoate Biopolymer Compositions"*

Commissioner for Patents
Office of Patent Publication
ATTN: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
DUE TO APPLICANT'S ERRORS**

Sir:


Attached is form PTO/SB/44, which is suitable for printing.

In accordance with MPEP 1485, the exact page and/or claim and line number where errors occurred in the application file are discussed below.


LIST OF ERRORS IN THE PATENT

1. Figure 1; Structure of poly-4-hydroxyvalerate

APPLICANT'S ERRORS



In error 1, Figure 1, the structure “ poly-4-hydroxyvalerate ” should be



redrawn as -- poly-4-hydroxyvalerate --. The structure that is currently in figure 1 is actually poly-5-hydroxyvalerate not the intended poly-4-hydroxyvalerate, as described throughout the specification.

Applicants submit that errors due to Applicant's mistake are clerical, typographical, or of minor character and occurred in good faith.

Correction of these errors does not involve such changes in the patent as would constitute new matter or would require re-examination.

Please issue a Certificate of Correction and send the document to:

Customer No. 23579
Patrea L. Pabst
Pabst Patent Group, LLP
400 Colony Square, Suite 1200
1201 Peachtree Street
Atlanta, GA 30361

The Commissioner is hereby authorized to charge \$100, the fee for a Certificate of Correction due to Applicant's error as required by 37 CFR §1.20(a), to Deposit Account No. 50-3129. Applicants believe that no additional fees are required. However, should an additional fee be required, the Commissioner is hereby authorized to charge the fee to Deposit Account No. 50-3129.

Very truly yours,

PABST PATENT GROUP LLP

/Charles Vorndran/

Charles Vorndran

Reg. No. 45,315

Date: April 22, 2008

PABST PATENT GROUP LLP
400 Colony Square, Suite 1200
1201 Peachtree Street
Atlanta, Georgia 30361
(404) 879-2153
(404) 879-2160 (Facsimile)


UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1


PATENT NO. : 7,202,064
APPLICATION NO.: 10/600,480
ISSUE DATE : June 20, 2003
INVENTOR(S) : Frank A. Skraly and Oliver P. Peoples

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Figure 1, the structure



should be



MAILING ADDRESS OF SENDER (Please do not use customer number below):

Pabst Patent Group LLP
1201 Peachtree Street, Suite 1200
Atlanta, Georgia 30361
United States of America

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.